

A CSW Industrials Company

## **GulfClean**™


Coil Cleaner & Salt Reducer





## Coastal and offshore HVAC/R challenges





### Modine HVAC coatings



## ElectroFin® E-Coat



Water-based, flexible epoxy polymer coating process engineered specifically for HVAC/R heat transfer coils

**Factory-applied solution** which involves full immersion.

# **Insitu**<sup>®</sup> Spray Applied Coating



Water-based (solvent free) and water-reducible synthetic flexible polymer coating engineered specifically for HVAC&R equipment

Can be applied by certified technicians in the field or at a Modine facility.

Major HVAC&R OEMs approve the use of ElectroFin® E-Coat and many OEMs approve of Insitu® Spray Applied Coating for their systems.























Complete anti-corrosion protection in coastal and offshore environments

### Modine HVAC coatings warranty



Only ElectroFin® E-Coat & Insitu® Spray Applied Coating offer a true, completely covered coil backed by a 5-year warranty on materials and workmanship.

To ensure warranty compliance, and protection against costly damage caused by corrosion, the coils must be properly cleaned on a six-month cycle with an approved cleaning material.





Additional warranty information and product registration here: https://modinecoatings.com/warranty-registration-form/



### Warranty approved chemicals by RectorSeal



RectorSeal has partnered with Modine to manufacture warranty approved maintenance chemicals designed for ElectroFin & Insitu:

GulfClean™

### **Coil Cleaner**

Step 1 of 2

Removes soils

Powers off dirt

Biodegradable

Deep cleaning foam



GulfClean™

### **Salt Reducer**

Step 2 of 2

Aids in the removal of soluble salts

Non-flammable

Does not interfere with the adhesion of protective coatings



## Why GulfClean?







Application of Modine approved products **ensure** warranty coverage for Modine ElectroFin and Insitu coated systems.



Non-corrosive, long-term coating protection **extends the life of equipment.** 



Properly maintained coated system saves money by improving energy efficiency and delaying costly equipment replacement.





Application of Modine approved products ensure warranty coverage for ElectroFin and Insitu coated systems.



Additional warranty information and product registration here: https://modinecoatings.com/warranty-registration-form/





Non-corrosive, long-term coating protection extends the life of equipment.

## GulfClean™ Coil Cleaner

Will not chemically attack or corrode coils, surrounding metal, other HVAC equipment components, or adjacent roofing materials.

Properly maintained coated systems can last

## 3-5 times longer

than the life of an uncoated system in the same location and environment.

## GulfClean™ Salt Reducer

Dissolves soluble salts, sulfates, and revitalizes HVAC equipment.


Source: https://modinecoatings.com/electrofin-insitu-benefits/





Properly maintained coated system saves money by **improving energy efficiency and delaying costly equipment replacement.** 





Energy efficiency degradation is slower over time when coating is properly maintained resulting in lower utility costs, repairs, and replacement.

Source: https://modinecoatings.com/roi-savings/


## Also available: GulfCoat Aerosol Coating



### **GulfCoat™ Contractor Series Coil Coating**

Same Modine coating protection, perfect for DIY application.







| Code  | Description                 | Quantity per Case |
|-------|-----------------------------|-------------------|
| 80401 | 12 oz. (340g) Aerosol Blue  | 6                 |
| 80400 | 12 oz. (340g) Aerosol Clear | 6                 |

### **Product Details**





### GulfClean™ Coil Cleaner Step 1 of 2

#### **Applications**

- Evaporator Coils
- Condenser Coils
- Refrigeration Units

### **Characteristics | Features**

- Non-Acid
- Non-Caustic
- Removes Soils
- Powers Off Dirt

- Deep Cleaning Foam
- Biodegradable
- Environmentally-Friendly

| Code  | Size                   | Quantity per Case | Lbs. per Case | Cubic Feet per Case |
|-------|------------------------|-------------------|---------------|---------------------|
| 80406 | 1 gallon (3.76 Liters) | 4                 | 38            | 1.21                |



### GulfClean™ Salt Reducer Step 2 of 2

### **Applications**

- Evaporator Coils
- Condenser Coils

#### **Characteristics | Features**

- No VOC's
- Biodegradable
- Non-flammable

- Aids in the removal of soluble salts
- Does not interfere with adhesion of protective coatings

| Code  | Size                   | Quantity per Case | Lbs. per Case | Cubic Feet per Case |
|-------|------------------------|-------------------|---------------|---------------------|
| 80408 | 1 gallon (3.76 Liters) | 4                 | 38            | 1.21                |

