# SECTION 1: IDENTIFICATION

**PRODUCT IDENTIFIER:** MARINE BLUE

PRODUCT CODE: IN12622-A

OTHER MEANS OF IDENTIFICATION (FOR CHEMTREC): FORMULA # 13E079N12

RECOMMENDED USE OF THE CHEMICAL: AEROSOL SPRAY

MANUFACTURER: MODINE MANUFACTURING COMPANY

10225 ELIZABETH PLACE

TAMPA, FL 33619

#### **EMERGENCY 24-HOUR TELEPHONE NUMBERS:** Call CHEMTREC: within USA dial 1-800-424-9300 or outside USA dial +1-703-527-3887

#### SECTION 2: HAZARDS IDENTIFICATION

HAZARD PICTOGRAMS:



GHS02 Flame, GHS04 Gas Cylinder, GHS07 Exclamation Mark, GHS08 Health Hazard

#### CLASSIFICATION OF THE SUBSTANCE OF MIXTURE:

Flammable Aerosols, Category 1 Gasses Under Pressure, Category Compressed Liquid Acute Toxicity - Oral, Category 4 Aspiration Hazard, Category 1 Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Acute Toxicity - Irbaltion Acute Toxicity - Inhalation, Category 4 Specific Target Organ Toxicity - Single Exposure, Category 3 Specific Target Organ Toxicity - Single Exposure, Category 3 Germ Cell Mutagenicity, Category 1A,1B Carcinogenicity, Category 1A,1B Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 20.8%

#### SIGNAL WORD: DANGER

#### HAZARD STATEMENTS:

- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways.

- Causes skin irritation. Н315
- H319 Causes serious eye irritation. H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness. H340 May cause genetic defects.
- H350 May cause cancer.

#### PRECAUTIONARY STATEMENTS:

### GENERAL & PREVENTION:

- P102 Keep out of reach of children.
- P201
- Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/other ignition sources. No smoking. P202
- P210
- P211 P251
- Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
- P261 Avoid breathing vapor/spray. P264
- Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P270
- P271 P280 P280 Wear eye protection. **RESPONSE:**
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of soap and water.

PRODUCT IDENTIFIER:

MODINE MFG CO. IN12622-A ULTRAMARINE BLUE

P304+P340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do P312 Call a POISON CENTER/doctor if you feel unwell. P331 Do NOT induce vomiting. P337+P313 If eye irritation persists: Get medical advice/attention. STORAGE: P403+P233 Store in a well-ventilated place. Keep container tightly closed when not in use. P410+P403 Protect from sunlight. Store in a well-ventilated place. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 degrees C/122 degrees F.

DISPOSAL:

P501 Dispose of contents/container in accordance with local/regional/national regulations.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#	COMPONENT	CAS#	<u>% by WT.</u>
1	ACETONE	67-64-1	35-40
2	PROPANE	74-98-6	10-16
3	N-BUTANE	106-97-8	5-8
4	N-BUTYL ACETATE	123-86-4	5-8
5	METHYL AMYL KETONE	110-43-0	3-5
6	SOLVENT NAPHTHA, LIGHT	64742-49-0	3-5
7	*TITANIUM DIOXIDE	13463-67-7	1-3
8	SOLVENT NAPHTHA	64742-95-6	1-3
9	ETHYL ESTER	763-69-9	1-3
10	1,2,4-TRIMETHYLBENZENE	95-63-6	1-3

## SECTION 4 - FIRST AID MEASURES

Inhalation:

II innaled: Move person to fresh air and keep in comfortable position for breathing. If breathing difficulty persists: Get medical advice/attention.
 Skin Contact: If on skin: Wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If skin irritation persists: Get medical advice/attention.
 Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
 Ingestion: If swallowed: Immediately call a poison center/doctor. Do NOT induce veniting unless discussion.

If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting unless directed to medical do so by medical personnel. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

See Section 11: Toxicological Information and effects. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT REQUIRED: Treat symptomatically.

# <u>SECTION 5 - FIRE-FIGHTING MEASURES</u>

Suitable Extinguishing Media: CO2 (Carbon Dioxide), dry chemical, or water fog.
Unsuitable Extinguishing Media: Water spray may be unsuitable. However if water is used fog nozzles are preferable.
Water may be used to cool closed containers to prevent pressure build-up and explosion when exposed to extreme heat.
Specific Hazards Arising From the Chemical: Closed containers exposed to heat from fire may build pressure and explode. Products of combustion may include but are not limited to: oxides of carbon.
Special Protective Equipment and Precautions for Fire-Fighters: Full protective equipment including and explored to extreme heat.

self-contained breathing apparatus should be used.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Environmental Precautions: Prevent contamination of soil/ground, waterways, drains, and sewers. Methods of Containment: Absorb spilled liquid in suitable material. Methods for Clean-Up: Use spark-proof tools to sweep or scrape up, containerize, and dispose of properly. Other Information: Ensure adequate ventilation.

# SECTION 7 - HANDLING AND STORAGE

#### Precautions for Safe Handling:

Vapors may ignite explosively. Prevent buildup of vapors. Keep from sparks, heat, flame or other heat sources. Do not smoke. Turn off pilot lights, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Do not puncture or incinerate/burn container. Keep container tightly closed while not in use. Conditions for Safe Storage, Including Any Incompatibilities:

Store in dry, well-ventilated area and in accordance with federal, state, and local regulations. Do not expose to heat or store at temperatures above 50 degrees C / 122 degrees F. If storing in cold temperatures, allow product to warm to room temperature before use. Keep container tightly closed and away from heat and sunlight when not in use.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS				
# COMPONENT	ACGIH TLV-STEL	ACGIH TLV-TWA	<u>OSHA PEL-TWA</u>	

PRODUCT IDENTIFIER:

MODINE MFG CO IN12622-A ULTRAMARINE BLUE

1 ACETONE	750 ppm	500 ppm	1000 ppm
2 PROPANE	1800 ppm	2500 ppm	1000 ppm
3 N-BUTANE	N/E	800 ppm	mqq 008
4 N-BUTYL ACETATE	200 ppm	150 ppm	150 ppm
5 METHYL AMYL KETONE	N/E	50 ppm	465 mg/m3
6 SOLVENT NAPHTHA, LIGHT	N/E	300 ppm	300 ppm
7 *TITANIUM DIOXIDE	N/E	10 mg/m3 ppm	15 mg/m3 ppm
8 SOLVENT NAPHTHA	N/E	100 ppm	100 ppm
9 ETHYL ESTER	100 ppm	50 ppm	N/E
10 1,2,4-TRIMETHYLBENZENE	N/E	N/E	N/E

APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation to keep air contamination below OSHA
permissible exposure limits and ACGIH TLV exposure levels.
EYE/FACE PROTECTION: Wear safety glasses with side shields. Have eye wash facilities immediately available.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Aerosol - Pressurized Liquid
COLOR:	See product identification
ODOR:	Solvent Odor
ODOR THRESHOLD:	No data available
pH:	No data available
FREEZING POINT:	Not Established (mixture)
BOILING POINT:	Not Applicable (pressurized mixture)
FLASH POINT:	less than -18 degrees C (less than -0.4 degrees F), c.c.
EVAPORATION RATE:	Faster than ether
UPPER FLAMMABILITY LIMIT:	Not Established (mixture)
LOWER FLAMMABILITY LIMIT:	Not Established (mixture)
VAPOR PRESSURE:	Not Established (pressurized mixture)
SPECIFIC GRAVITY:	0.788
SOLUBILITY (WATER):	Negligible
VOC PERCENT BY WEIGHT:	40.02
HAPS PERCENT BY WEIGHT:	0
MIR NUMBER (EPA AND CA):	0.866

#### SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions. POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur. CONDITIONS TO AVOID: Keep away from heat, sparks, and flames. INCOMPATIBLE MATERIALS: Strong oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: by fire - Carbon Dioxide and Carbon Monoxide

# SECTION 11: TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF ENTRY: Skin contact, Inhalation, Eye contact, Ingestion SIGNS AND SYMPTOMS OF EXPOSURE:

skin Contact: Signs/symptoms may include localized redness, itching, drying and cracking of skin.

Intentional concentration and inhalation may be harmful or fatal. Inhalation:

Eye Contact: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the

cornea, and impaired vision. Ingestion: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. TARGET ORGANS POTENTIALLY AFFECTED BY EXPOSURE:

Central nervous system, kidneys, lungs, liver, eyes, skin, brain, respiratory tract, urinary tract, reproductive system, cardiovascular system

#### TOXICOLOGICAL DATA:

#	COMPONENT	LD50 ORAL	LD50 DERMAL	LC50 INHALATION
1.	ACETONE	N/E	N/E	N/E
2.	PROPANE	1000	1800	N/E
3.	N-BUTANE	N/E	N/E	N/E
4.	N-BUTYL ACETATE	>10,760 mg/kg (rat)	>14,112 mg/kg rabbit	>21 mg/l (rat) 4 h
5.	METHYL AMYL KETONE	1600 mg/kg (rat)	10206 mg/kg (rabbit)	2000-4000 ppm rat 4h
6.	SOLVENT NAPHTHA, LIGHT	N/E	N/E	N/E
7.	*TITANIUM DIOXIDE	N/E	N/E	N/E
8.	SOLVENT NAPHTHA	N/E	N/E	N/E
9.	ETHYL ESTER	N/E	N/E	N/E
10.	1,2,4-TRIMETHYLBENZENE	N/E	N/E	N/E

# SECTION 12: ECOLOGICAL INFORMATION

No data available.

PRODUCT IDENTIFIER:

MODINE MFG CO IN12622-A ULTRAMARINE BLUE

\_ \_ -

#### SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of container and its contents in accordance with federal, state, and local regulations. Do not puncture, incinerate, or place container in trash compactor.

# SECTION 14: TRANSPORTATION INFORMATION

GROUND (D.O.T./49 CFR): UN I.D. Number: UN1950 Transport Hazard Class: 2.1 Packing Group: - (not applicable) Proper Shipping Name: AEROSOLS (", FLAMMABLE" is optional to add after AEROSOLS) Hazard label: Limited Quantity (LTD QTY) label -- see 49 CFR 172.315 Shipping papers format: UN1950, AEROSOLS, 2.1, LTD QTY (can add ",FLAMMABLE" after AEROSOLS) AIR (IATA): UN1950 Transport Hazard Class: 2.1 UN I.D. Number: Packing Group: - (not applicable) Proper Shipping Name: AEROSOLS, FLAMMABLE Packing Instruction: Y203 LTD QTY label with "Y" in it, and Flammable Gas label UN1950, AEROSOLS, FLAMMABLE, 2.1 (Note LTD QTY not needed on papers) Hazard labels: Shipping papers format: WATER (IMDG): UN I.D. Number: UN1950 Transport Hazard Class: 2.1 Packing Group Proper Shipping Name: AEROSOLS Hazard label: LTD QTY label (see IMDG 3.4.5.1) Packing Group: - (not applicable) EmS: F-D,S-U Packing Instruction: P003,LP02 Stowage and Segregation: Category A UN1950, AEROSOLS, 2.1, (-18 C c.c.), LTD QTY Shipping papers format:

No component of this product is a listed Marine Pollutant (49 CFR 172,101,Appendix B).

# SECTION 15: REGULATORY INFORMATION

International Chemical Inventory

All components of this product are listed on or exempt from the following inventories: TSCA (United States), CEPA/DSL (Canada), AICS (Australia), IECSC (China) SARA Section 313 Toxic Chemicals: 1,2,4-TRIMETHYLEENZENE 95-63-6 Chemicals listed above are subject to the SARA reporting requirements under 40 CFR 372.45(c)(5).

## SECTION 16: OTHER INFORMATION

**REVISION DATE: 05/10/16** 

#### HMIS & NFPA Hazard Scale:

0=minimal, 1=slight, 2=moderate, 3=serious, 4=severe HMIS(American Coatings Association's Hazardous Material Identification System): Health = 2 Flammability = 4 Physical Hazard = 1 NFPA 704(National Fire Protection Association's Hazard Identification Ratings System): Health = 2 Flammability = 4 Instablity = 1

This SDS is based on information believed to be reliable and accurate. Because of changing reporting requirements and other variables it is impossible to guarantee with complete accuracy all the information contained in this document. It is the responsibility of the user to determine proper personal protection based on actual condition of use and to comply with all federal, state, and local laws and regulations.

\_\_\_\_\_