

Safety Data Sheet

Printing date 11/03/2020

Reviewed on 08/24/23

1 Identification

Product identifier

Trade name: Insitu® Metal Prep EX

Application of the substance / the mixture: Cleaning Agent

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Manufactured for Modine Manufacturing Company

1423 West Ormsby Ave

Louisville, KY 40210

Information department: Product safety department

Emergency telephone number: CHEMTREC

Within the USA and Canada: 1-800 424-9300

Outside the USA and International: +1-703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture



GHS05

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labeling:

disodium silicate pentahydrate

tetrasodium ethylenediaminetetraacetate

2-aminoethanol

AMINE, C10-16-ALKYLDIMETHYL N-OXIDES

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Trade name: Insitu® Metal Prep EX

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a poison center/doctor.
 P321 Specific treatment (see on this label).
 P363 Wash contaminated clothing before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



- **Other hazards**
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

64-02-8	tetrasodium ethylenediaminetetraacetate	≥3-≤10%
10213-79-3	disodium silicate pentahydrate	≥3-≤5%
141-43-5	2-aminoethanol	≥2.5-≤5%
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated	≤2.5%
29385-43-1	methyl-1H-benzotriazole	≤2.5%
70592-80-2	AMINE, C10-16-ALKYLDIMETHYL N-OXIDES	≥1-≤2.5%

4 First-aid measures

- **Description of first aid measures**
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
No further relevant information available.

Trade name: Insitu® Metal Prep EX

5 Fire-fighting measures

- **Extinguishing media**
- Suitable extinguishing agents:
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- Protective equipment: No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Prevent from spreading (e.g. by damming-in or oil barriers).
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- Precautions for safe handling
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- Components with limit values that require monitoring at the workplace:
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

141-43-5 2-aminoethanol

PEL	Long-term value: 6 mg/m ³ , 3 ppm
REL	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 8 mg/m ³ , 3 ppm
TLV	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 7.5 mg/m ³ , 3 ppm

(Contd. on page 4)

Trade name: Insitu® Metal Prep EX

- Regulatory information
 PEL: Guide to Occupational Exposure Values (OSHA PELs)
 REL: Guide to Occupational Exposure Values (NIOSH RELs)
 TLV: Guide to Occupational Exposure Values (ACGIH)
- Additional information: The lists that were valid during the creation were used as basis.

· **Exposure controls**

- Personal protective equipment:
- General protective and hygienic measures:
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· General Information

· Appearance:

Form:	Liquid
Color:	Light yellow
· Odor:	Mild
· Odor threshold:	Not determined.

· pH-value at 20 °C (68 °F): 13.3

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	103 °C (217.4 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

(Contd. on page 5)

Trade name: Insitu® Metal Prep EX

· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.134 g/cm ³ (9.463 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

Trade name: Insitu® Metal Prep EX

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· Aquatic toxicity: No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· **Additional ecological information:**

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment**

· PBT: Not applicable.

· vPvB: Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· **Uncleaned packagings:**

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· DOT, ADR, IMDG, IATA UN3267

· **UN proper shipping name**

· DOT Corrosive liquid, basic, organic, n.o.s. (disodium silicate pentahydrate, ethanolamine)

· ADR 3267 Corrosive liquid, basic, organic, n.o.s. (disodium silicate pentahydrate, ethanolamine)

· IMDG, IATA CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (disodium silicate pentahydrate, ETHANOLAMINE)

· **Transport hazard class(es)**

· DOT




· Class 8 Corrosive substances

(Contd. on page 7)

Trade name: Insitu® Metal Prep EX

· Label	8

· ADR, IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8

· Packing group	
· DOT, ADR, IMDG, IATA	III

· Environmental hazards:	Not applicable.

· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG35 Stow "separated from" SGG1-acids

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (disodium silicate pentahydrate, ethanolamine), 8, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Sara

· Section 355 (extremely hazardous substances):	None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):	None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):	All ingredients are listed.
· Hazardous Air Pollutants	None of the ingredients is listed.

(Contd. on page 8)

Trade name: Insitu® Metal Prep EX

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained herein is based on available data from reliable sources and is accurate to the best of Modine Manufacturing Company knowledge at the time of this publication. Modine Manufacturing makes no warranty, expressed or implied, of merchantability or fitness for a particular purpose, course of performance or usage of trade. The user is solely responsible for determining the suitability and completeness of such information for their particular application and for adopting appropriate safety precautions. Physical properties listed within are typical values based on samples tested and should not be construed as guaranteed analysis of any specific lot or as specifications for the product. This information is not intended to be all-inclusive as to the manner and conditions of use, handling and storage. Other factors may involve additional safety or performance considerations. This data is not to be taken as a warranty or representation for which Modine Manufacturing assumes legal or financial responsibility.

Copyright © 2020 Modine Manufacturing Company | All Rights Reserved | DO NOT DISTRIBUTE

· **Department issuing SDS:** Product safety department

· **Contact:** SDS Coordinator

· Date of preparation / last revision 11/03/2020 / 1.0

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1